LED Lighting Products

CONSIDER THE BENEFITS

0000

Dasko have teamed with AP-LED to bring you an exceptional range of highest quality LED products, ideally suited to the New Zealand market.

E ADR	E Approved	Ensuring ADR Compliance.
	Long Life	Up to 100,000 hours of operation.
	Low Current Draw	Significantly less power draw compared to incandescent lighting.
	Polycarbonate	Why compromise long life benefits by using material that provide inferior impact resistance. Insist on Polycarbonate.
	Multi Voltage	Available in some applications ideal for mixed fleets.
	Epoxy Resin	Provides excellent water and dust resistance.
	Maintenance free	No more changing globes or being caught out with ineffective lamps.
	Quality Packaging	Provides an excellent in store display and gives the consumer all the information needed to make a buying decision.
	Merchandiser Program	Merchandisers available allowing the consumer to see the product "lit up" effective tool in moving the consumer to a buying decision.
	Ongoing Commitment	A product range that is going from strength to strength, with a range of products in development.



5 Year warranty unless otherwise stated

DASKO's Mission Statement.

The Dasko family is unreservedly committed to pro-actively support and care for every individual, group or company we associate with. Dasko provides a safe, stable, happy and positive environment, that sets the tone for energetic, enthusiastic and explosive growth. Dasko excels in an atmosphere of passion, performance and progress, facilitating satisfaction second to none, with every relationship.

Disclaimer:

OEM Names, Images and Numbers are used for reference purposes only. The onus is on the installer to ensure correct part fitment. E. & O.E.

Copyright:

© 2012. No part of this publication can be reproduced, scanned or used without the express permission of Dasko Marketing NZ.



PAGES





We have endeavoured to ensure all information is correct at the time of printing. July 2012. E & O.E.

exce

TRAILER LIGHTING



AP100AR-TP TRAILER CONVERSION PACK (Square)



AP47AR-TP TRAILER CONVERSION PACK (Rectangular)



AP80RA 80 x 80 STOP, TAIL, INDICATOR (Plug for Easy Installation)








TRAILER LIGHTING





approved, ADR compliant lights which have a tough polycarbonate lens and feature low current draw, long life LED's. Back this with our 2 year warranty and you can be assured that your lights will stand the test of time.

0000

Read more on page 18

 \bigcirc



AP47TWIN-AR LED TWIN COMBINATION	AP47TWIN-ARW LED TWIN COMBINATION				
Indicator x 2, Stop Tail x 2, Polycarbonate Lens E Approved, Complies With ADR 60 LED's, Multi Volt 10-30v	Indicator x 1, Stop Tail x 2, Reverse x 1, Polycarbonate Lens E Approved, Complies With ADR 79 LED's, Multi Volt 10-30v				
ADR 9 ¹ 333938 ¹ 001100 ¹	9 3 33938 001094				
Part # Description	Part # Description				
AP47AR AMBER/RED INSERT TO SUIT AP47 SERIES	AP47AR AMBER/RED INSERT TO SUIT AP47 SERIES				
AP40B2B BLACK BRACKET SUIT AP40 TWIN	AP47WR RED/WHITE INSERT TO SUIT AP47 SERIES				

National Toll Free: 0508 432 756

AP47TRIPLE-AR LED TRIPLE COMBINATION	AP47TRIPLE-ARW LED TRIPLE COMBINATION
Indicator x 3, Stop Tail x 3, Polycarbonate Lens E Approved, Complies With ADR 90 LED's, Multi Volt 10-30v	Indicator x 2, Stop Tail x 3, Reverse x 1, Polycarbonate Lens E Approved, Complies With ADR 109 LED's, Multi Volt 10-30v
9 "333938"000868"	
Part # Description	Part # Description
AP47AR AMBER/RED INSERT TO SUIT AP47 SERIES	AP47AR AMBER/RED INSERT TO SUIT AP47 SERIES
AP40B3B BLACK TRIPLE BRACKET AP40/47	AP47WR RED/WHITE INSERT TO SUIT AP47 SERIES



•

AP40R	A LED TWIN COMBINATION RED AMBER	R				
		Stripe Pattern, Dual Layer Polycarbonate Lens Lapproved, Complies With ADR 100 LED's, Multi Volt 10-30v 1285 1285 128				
Part # AP40R AP40A AP40B2C	Description RED INSERT TO SUIT AP40 SERIES AMBER INSERT TO SUIT AP40 SERIES CHROME BRACKET SUIT AP40RA					
AP40RR.	A LED TRIPLE COMBINATION RED RED AMBER	AP40RAW LED TRIPLE COMBINATION RED AMBER WHITE				
	Stripe Pattern, Dual Layer Polycarbonate Lens E Approved, Complies With ADR 150 LED's, Multi Volt 10-30v	Stripe Pattern, Dual Layer Polycarbonate Lens E Approved, Complies With ADR 150 LED's, Multi Volt 10-30v				
ľ						
Part # AP40R AP40B3C	9 333938 000950 Description RED INSERT TO SUIT AP40 SERIES CHROME BRACKET SUIT AP40RRA	Part # Description AP40R RED INSERT TO SUIT AP40 SERIES AP40A AMBER INSERT TO SUIT AP40 SERIES				







AP87MRRA LED TRIPLE REAR COMBINATION JUMBO

Indicator x 1, Stop Tail x 2, Polycarbonate Lens E Approved, Complies With ADR 180 LED's, Multi Volt 10-30v





Part #	Description
AP87MR	LED JUMBO INSERT RED
AP87MA	LED JUMBO INSERT AMBER




Indicator x 1, Stop Tail x 1, Reverse x 1, Polycarbonate Lens E Approved, Complies With ADR 180 LED's, Multi Volt 10-30v







REAR LIGHTING







MARKER LIGHTS



MARKER LIGHTS

000



exce

MARKER LIGHTS









0000

exce

LICENCE PLATE LIGHTS





DIRECTION INDICATOR LIGHTS

0000





17)

DAYTIME RUNNING LIGHTS

Daytime running lights have been required in several northern hemisphere countries since being mandated in Finland Hungary and Canada require daytime running lights as do all Scandinavian countries. Whist not yet mandatory in New Zealand some manufactures already feature these as standard equipment.

0000

Safety Tip

Daytime running lights are a proven safety measure overseas and have been estimated to be able to prevent up to 11% of multi-vehicle severe crashes, and up to 12% of pedestrian fatal crashes in New Zealand.

AP LED DRL's offer E approved, ADR compliant lights which have a tough polycarbonate lens and feature low current draw, long life LED's. Back this with our 2 year warranty and you can be assured that your lights will stand the test of time.

DAYTIME RUNNING LIGHTS AP121-DRL **FEATURES** Multi Volt 10-30v 4 x 1w LED Polycarbonate Lens Heavy Duty Aluminium Housing Weather Proof Plug Wiring Kit Automatic Switch On / Off 105 x 44 x 33mm 4 0 333938 000448 9

0000

INTERIOR LIGHTS



exce

LED WORK LIGHTS









PRE WIRED TRAILER PLUG & LEADS







excel 🙆

LED STRIP LIGHTING





0000

LED STRIP LIGHTING

LED Strip Lighting

Part #	Model #	Description	Colour	No of LED's	Length (mm)	Volt (V)	Plugs	Adhesive
APS130	1	FLEXIBLE LED STRIP	WHITE	9	300	12	\checkmark	\checkmark
APS160	1	FLEXIBLE LED STRIP	WHITE	18	600	12	\checkmark	\checkmark
APS1100	1	FLEXIBLE LED STRIP	WHITE	30	1000	12	\checkmark	\checkmark
APS1500	1	FLEXIBLE LED STRIP	WHITE	150	5000	12	\checkmark	\checkmark
APS230	2	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	9	300	12	\checkmark	\checkmark
APS260	2	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	18	600	12	\checkmark	\checkmark
APS2100	2	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	30	1000	12	\checkmark	\checkmark
APS2500	2	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	150	5000	12	\checkmark	\checkmark
AP330W	3	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	36	300	12	\checkmark	\checkmark
APS360W	3	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	72	600	12	\checkmark	\checkmark
APS3100W	3	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	120	1000	12	\checkmark	\checkmark
APS3500W	3	FLEXIBLE LED STRIP, IP65 W/PR00F	WHITE	600	5000	12	\checkmark	\checkmark
APS330R	3	FLEXIBLE LED STRIP, IP65 W/PR00F	RED	36	300	12	\checkmark	\checkmark
APS360R	3	FLEXIBLE LED STRIP, IP65 W/PR00F	RED	72	600	12	\checkmark	\checkmark
APS3100R	3	FLEXIBLE LED STRIP, IP65 W/PR00F	RED	120	1000	12	\checkmark	\checkmark
APS3500R	3	FLEXIBLE LED STRIP, IP65 W/PR00F	RED	600	5000	12	\checkmark	\checkmark
APS330B	3	FLEXIBLE LED STRIP, IP65 W/PROOF	BLUE	36	300	12	\checkmark	\checkmark
APS360B	3	FLEXIBLE LED STRIP, IP65 W/PROOF	BLUE	72	600	12	\checkmark	\checkmark
APS3100B	3	FLEXIBLE LED STRIP, IP65 W/PROOF	BLUE	120	1000	12	\checkmark	\checkmark
APS3500B	3	FLEXIBLE LED STRIP, IP65 W/PROOF	BLUE	600	5000	12	\checkmark	\checkmark
APS330G	3	FLEXIBLE LED STRIP, IP65 W/PROOF	GREEN	36	300	12	\checkmark	\checkmark
APS360G	3	FLEXIBLE LED STRIP, IP65 W/PROOF	GREEN	72	600	12	\checkmark	\checkmark
APS3100G	3	FLEXIBLE LED STRIP, IP65 W/PROOF	GREEN	120	1000	12	\checkmark	\checkmark
APS3500G	3	FLEXIBLE LED STRIP, IP65 W/PROOF	GREEN	600	5000	12	\checkmark	\checkmark
APS430	4	FLEXIBLE LED STRIP, IP65 W/PROOF	RGB MULTI	18	300	12	\checkmark	\checkmark
APS460	4	FLEXIBLE LED STRIP, IP65 W/PROOF	RGB MULTI	36	600	12	\checkmark	\checkmark
APS4100	4	FLEXIBLE LED STRIP, IP65 W/PROOF	RGB MULTI	60	1000	12	\checkmark	\checkmark
APS4500	4	FLEXIBLE LED STRIP, IP65 W/PROOF	RGB MULTI	300	5000	12	\checkmark	\checkmark
APSRGB1	4	RGB CONTROLLER, INPUT12V, WITH REMOTE CONTROL, MULTI COLOR, FLASH, FADE, BRIGHTNESS	N/A	N/A	N/A	N/A	N/A	N/A
APSRGB2	4	RGB CONTROLLER, INPUT12V, WITH REMOTE CONTROL, MULTI COLOR, FLASH, FADE, BRIGHTNESS, 4 AMP OUTPUT	N/A	N/A	N/A	N/A	N/A	N/A
APS10W	PWR	WATERPROOF POWER SUPPLY, INPUT AC170-265V, OUTPUT DC12V \pm 0.5V, (MAX), 10W, SUIT MODEL 1,2,3 & 4	N/A	N/A	N/A	N/A	N/A	N/A
APS30W	PWR	WATERPROOF POWER SUPPLY, INPUT AC170-265V, OUTPUT DC12V \pm 0.5V,(MAX), 30W, SUIT MODEL 1,2,3 & 4	N/A	N/A	N/A	N/A	N/A	N/A
APS60W	PWR	WATERPROOF POWER SUPPLY, INPUT AC170-265V, OUTPUT DC12V \pm 0.5V,(MAX), 60W, SUIT MODEL 1,2,3 & 4	N/A	N/A	N/A	N/A	N/A	N/A
APS150W	PWR	WATERPROOF POWER SUPPLY, INPUT AC170-265V, OUTPUT DC12V \pm 0.5V, (MAX), 150W, SUIT MODEL 1,2,3 & 4	N/A	N/A	N/A	N/A	N/A	N/A
APS200W	PWR	WATERPROOF POWER SUPPLY, INPUT AC170-265V, OUTPUT DC12V \pm 0.5V, (MAX), 200W, SUIT MODEL 1,2,3 & 4	N/A	N/A	N/A	N/A	N/A	N/A
APSMP1	PLUG	MALE PLUG WITH 450MM CABLE SUIT MODEL 1	N/A	N/A	N/A	N/A	N/A	N/A
APSMP23	PLUG	MALE PLUG WITH 450MM CABLE SUIT MODEL 2 & 3	N/A	N/A	N/A	N/A	N/A	N/A
APSMP3	PLUG	MALE PLUG WITH 450MM CABLE SUIT MODEL 4	N/A	N/A	N/A	N/A	N/A	N/A

Ce

ACCESSORIES



DISPLAY UNITS





DISPLAY UNIT: COUNTER

Points for Merchandisers

- Simply plug into 240V and let the Merchandiser do the selling for you.
- The Merchandiser becomes the centerpiece of an eye catching visually appealing LED Lighting category.
- Customers can see how superior the light output is when compared to conventional lighting.
- Inquiries are generally converted to sales once the consumer sees the product "Lit Up".
- Eliminates the Guess work from the consumer, providing customer satisfaction.



WARRANTY & CONTACT INFO

Warranty Information

AP LED Products warrants that all products described in this catalogue will be, under normal use and service, free of defects in material and workmanship for a minimum of one year (Up to six on some products. Please check product description.) from the date of original purchase by the customer as marked on the invoice.

This warranty does not cover ordinary wear and tear, abuse, cost of labour, altered products or damage caused by the purchaser.

Any warranty obligation under state or federal legislation is recognised.

If you have faulty lights they should be returned to the place of purchase along with copy of original receipt.

> If you require any more information please contact AP LED at support@dasko.co.nz or phone 0508 4 DASKO (0508 432 756)



National Toll Free: 0508 432 756

International: +64 9 280 4813 Fax: +64 9 442 1552 E-mail: sales@dasko.co.nz Mailing Address: Dasko Marketing NZ 7 David McCathie Place Silverdale 0932



NOTES



Dasko Marketing NZ Free: 0508 432 756 Email: sales@dasko.co.nz Web: www.dasko.co.nz

7 David McCathie Place Silverdale, Auckland 0932 New Zealand Tel: +64 9 280 4813 Fax: +64 9 442 1552

Automotive Excellence

www.excelauto.co.nz