excel

Power Products Handbook

PART 1

AG

Tractor Starter Motors Alternators & Accessories

PART 1 AG

CONTENTS

TRACTOR STARTERS & ALTERNATORS TO SUIT:

Belarus	5
Case	6
Claas	8
Daedong	9
David Brown	10
Deutz Fahr	11
Fendt	12
Fiat	13
Ford	15
International	17
Iseki	19
JCB	20
John Deere	21
Kubota	23
Landini	24
Leyland	25
McCormick	26
Massey Ferguson	28
New Holland	31
Nuffield (See Leyland)	25
Renault	33
Same	34
Shibaura (see Ford)	15
Star	
Universal	36
UTB	36
Valtra Valmet	37
Zetor	38

ACCESSORIES:

Worklamps	39
Headlamps	42
Lamps & Accessories	44
Plugs & Sockets	48
Wiper Equipment	50
Blower Fans	53
Switches	55
Hydraulic Solenoids	59
Ignition Components	60
Electrical Accessories	63
Battery Related Accessories	68
Battery Chargers	71

KEY SYMBOLS

2(0)	2 Mount Holes (unthreaded)
2(2)	2 Mount Holes (threaded)
A:	Nose cone spiggot diameter
B:	Pre-mesh pinion measurement
16	Number of teeth on pinion, direction of rotation
	View of Alternator from pulley end (Shaded holes threaded)

Belarus

STR 111350

12V 3.0kW
Suits Belarus

10Th, 36Ø

3(0) *A:100* *B:28 mm*

STR 111351

24V 4.0kW
Suits Belarus

10Th, 36Ø

3(0) *A:100* *B:28 mm*

ALT 110497

12V 70Amp
Universal Mount



C:84mm

PHONE OUR HELPFUL SALES TEAM

for Unit Cross References & Application Listings

Phone Free:

0508 432 756

Key to symbols see Page 1

Case (see also David Brown)

STR 110462

12V 2.8kW
Suits Case 1394, 1494, 1594, 1690, 1694

10Th, 39.5Ø

3(0) *A:92* *B:22 mm*

STR 111572

12V 2.8kW
Suits Case 454, 474, 484, 485, 574, 584, 585, 595, 674, 684, 685, 695, 784, 785, 795, 884, 885, 895, 995

10Th, 39.5Ø

3(0) *A:89* *B:48 mm*

STR 111752

12V 2.7kW
Suits Case 221, 321, 431, 531, 533, 544, 574, 644, 724, 743, 744, 745, 825, 834, 844, 946, 956, 1046, 1246

9Th, 34.8Ø

3(0) *A:89* *B:48 mm*

STR 111885

12V 3.1kW
Suits Case

9Th, 36.8Ø

3(0) *A:89* *B:48 mm*

STR 113429

12V 4.2kW
Suits Case 1896, 2055, 2090, 2094, 2096, 2290, 2294, 2390, 2394, 2470, 2590, 2594, 2670, 2870, 3294, 3394, 3594, 4490, 4494, 4690, 4694, 4890, 4894, 4994, 7110, 7120, 7130, 7140, 7210, 7220, 7230, 7240, 7250, 8930, 9110, 9130, 9210, 9230, 9240, 9310, 9330

10Th, 39.5Ø

3(0) *A:92* *B:47 mm*

STR 110818

12V 2.1kW
Suits Case 580, 850, 950, 990, 995, 996, 1200, 1210, 1212, 1290, 1390,1490

11Th, 40.5Ø

3(0) *A:92* *B:25 mm*

Key to symbols see Page 1

STR 112135

12V 2.7kW
Suits Case 433, 533, 540, 633, 833 1986 - 90

11Th, 40.5Ø

3(0) *A:89* *B:25 mm*

Case (see also David Brown)

DYN 110483

12V 11Amp
C40 Sealed Generator
Suits Case 276, 434, 444, 634, 1210, 2276, 3434, 3800, 4600

C:114 mm

ALT 110178

12V 45Amp
Suits Case 384, 454, 474, 475, 484, 485, 574, 584, 585, 674, 684, 685, 784, 785, 885, 990, 996, 1210, 1212, 1190, 1194, 1294, 1410, 1412, 1290, 1390, 1394, 1490, 1494, 169



C:81 mm

ALT 110641

12V 33Amp
Suits Case 321, 431, 531, 554, 644, 744, 844, 856XL, 946, 1000

C:56 mm

ALT 111843

12V 95Amp
Suits Case 110, 120, 135 1997 →
Maxum 5120, 5130, 5140

B:51 mm

ALT 112773

12V 150Amp
Suits Case 2155, 2166, 2188, 2366, 2388, 2555 1997 →
7000, 8000

C:101 mm

ALT 111662

12V 33Amp
Suits Case 533, 540, 833

B:56 mm

ALT 113552

12V 120Amp
Suits Case 170CBX, Steyer

A:72mm *B:51 mm*

QUALITY
RIX
UNITS
by Lansea Power Products

ALT 63321744

12V 85Amp
Suits Case JX70U
4 Cyl engine

C:63 mm

Claas

STR 110206

24V 5.4kW
Suits Claas Jaguar 690
w/ Mercedes Engine 1983 - 88

9Th, 34.8Ø

3(0) *A:92* *B:48 mm*

STR 110525

12V 3.0kW
Suits Claas Dominator 85, 86, 96
Jaguar 60, Mercator 50, 60, 75
w/ Mercedes Engines

9Th, 34.8Ø

3(0) *A:89* *B:48 mm*

STR 110536

12V 3.0kW
Suits Claas Mercator 60, 75
w/ Deutz Engine

9Th, 34.8Ø

3(0) *A:89* *B:26 mm*

STR 111791

12V 2.4kW
Suits Claas Dominator 48, 56, 66, 79, Mercator 60 5.8, 75 5.8

11Th

3(0) *A:89* *B:49 mm*

Key to symbols see Page 1

ALT 110641

12V 33Amp
Suits Claas Dominator 56

C:56 mm

ALT 111649

12V 33Amp
Suits Claas Dominator 66

B:56 mm

ALT 111978

12V 120Amp
Suits Claas Combines, Lexion

B:56 mm

ALT 113611

12V 90Amp
Suits Claas Dominator 106,
Jaguar 675, 680, 685

B:80 mm

Daedong

STR 110615

12V 2.8kW
Suits Daedong, Perkins Engine

10Th, 39.5Ø

3(0) *A:89mm* *B:28 mm*

STR 111346

12V 2.8kW
Suits Daedong, Perkins Engine

10Th, 39.5Ø

3(0) *A:89mm* *B:28 mm*

STR 11482

12V
Suits Daedong CK25, DK45, DK50

2(0)

STR 11483

12V
Suits Daedong DK35, DK40

2(0)

STR 11484

12V
Suits Daedong DK90

3(0)

Key to symbols see Page 1

ALT 111356

12V 70Amp
Suits Daedong, Perkins Engine

IND
B +
B +

C:82 mm

ALT 111363

12V 70Amp
Suits Daedong, Perkins Engine

IND
B +
B +

C:82 mm

ALT 997000

12V
Suits Daedong Tractors

David Brown (See also Case)

STR 110818

12V 2.1kW
Suits David Brown 580, 850, 950 990, 995, 996, 1200, 1210, 1212, 1290, 1390, 1490

11Th, 40.5Ø

3(0) *A:92* *B:25 mm*

STR 111572

12V 2.8kW
Suits David Brown 454, 474, 484, 485, 574, 584, 585, 595, 674, 684, 685, 695, 784, 785, 795, 884, 885, 895, 995

10Th, 39.5Ø

3(0) *A:98* *B:48 mm*

PHONE OUR HELPFUL SALES TEAM

for Unit Cross References & Application Listings

Phone Free:

0508 432 756

DYN 110484

12V 22 Amp
C40T Vented Tacho Generator

Suits David Brown 770, 780, 880 990, 1200

ALT 110178

12V 45Amp
Suits David Brown 384, 454, 474, 475, 484, 485, 574, 584, 585, 674, 684, 685, 784, 785, 885, 990, 996, 1190, 1194, 1210, 1212, 1290, 1294, 1390, 1410, 1412



C:81mm

Key to symbols see Page 1

Deutz Fahr

STR 110536

12V 3.0kW
Suits Deutz Fahr DX3..., 4..., 6..., 7.10 1986 - 91

9Th, 34.8Ø

3(0) *A:89* *B:26 mm*

STR 112555

12V 3.1kW
Suits Deutz Fahr, Agrotron DX3..., 4..., 6..., 7... 1992 →

9Th, 34.8Ø

3(0) *A:89* *B:35 mm*

STR 113467

12V 3.7kW
Suits Deutz Fahr DX4.51, 6.31, 6.50, DX 7.1

9Th, 34.8Ø

3(0) *A:89* *B:27 mm*

Key to symbols see Page 1

ALT 110360

12V 70Amp
Suits Deutz Fahr DX3.10, 3.30, 3.50, 3.60, 3.70, 3.80, 3.90, 4.10, 4.30, 4.50, 4.70, 6.05, 6.10, 6.30, 6.50, 7.10, Intrac 2004



B:56 mm

ALT 110641

12V 33Amp
Suits Deutz Fahr Intrac 2003, 2004

B:56 mm

ALT 110881

12V 65Amp
Suits Deutz Fahr DX6.31, 6.50 DX7.10, Intrac 6.30

B:56 mm

Fendt

STR 110536

12V 3.0kW
Suits Fendt F275GT 1986 - 91, Farmer 2005 1974-91
204P 1986-91

9Th, 34.8Ø

3(0) *A:89* *B:26 mm*

STR 111332

12V 2.4kW
Suits Fendt Farmer 105S 1977
306LS, 308LS 1980 →
Favorit 600, 610, 611, 612, 614LS
1986 →

9Th, 34.8Ø

3(0) *A:89* *B:20mm*

STR 112555

12V 3.1kW
Suits Fendt F275GT 1992 →
Farmer 200S 1992 →
204P 1992 →

9Th, 34.8Ø

3(0) *A:89* *B:35 mm*

STR 112446

24V 4.0kW
Suits Fendt

11Th, 41Ø

3(0) *A:89* *B:31 mm*

Key to symbols see Page 1

ALT 113611

12V 90Amp
Suits Fendt

B:80 mm

ALT 110881

12V 65Amp
Suits Fendt Farmer 200 Series

B:56 mm

ALT 111662

12V 33Amp
Suits Fendt Farmer 1045, 1085
1978 - 82

B:56 mm

ALT 111850

12V 150Amp
Suits Fendt Farmer 305 LS, 306 LS, 307LS, 308LS, 309LSA, 310LSA, Favorit 600LS, 610LS, 611LS, 612LS, 614LS, 615LS, 626LS
2 x 56mm feet

B:56 mm

Fiat

STR 110522

12V 3kW
Suits Fiat 880-5 1982-84
900 Series, 1180, 1280, 1580, 1880, 90-90, 95-55, 100-90, 110-90, 115-90, 130-90, 140-90, 160-90, 180-90, F100, F110, F120, F130

9Th, 35Ø

3(0) *A:110* *B:22 mm*

STR 110529

12V 3kW
Suits Fiat 540B, 580DT, 640 DT, 665C, 666DT, 680DT, 780DT, 855, 1000DT, 1380, 65.46, 56, 66, 90, 70.65, 66, 75, 90, 80.56, 66, 75, 90, 85.55

9Th, 35Ø

3(0) *A:110* *B:27mm*

STR 110640

12V 3kW
Suits Fiat Romania

9Th, 38.4Ø

3(0) *A:110* *B:20mm*

STR 110813

12V 2.7kW
Suits Fiat 404DT, 420DT, 440DT, 450DT, 455C, 465C, 466DT, 470DT, 474, 480, 500DT, 565C, 570, 580, 45.66, 55.46, 56.56, 55.65, 55.66, 55.75, 55.90, 60.46, 60.65, 60.90

9Th, 35Ø

3(0) *A:110* *B:27mm*

STR 990554

24V 3.2kW
Suits Fiat
Replacing E115/24

9Th, 35Ø

2(0) *A:82mm* *B:24mm*

Key to symbols see Page 1

Can't see what you're looking for?

Call the team on

0508 4 DASKO

Fiat (see also New Holland)

ALT 110890

12V 65Amp
Suits Fiat 90.90, 95.55, 100.90, 110.90, 115.90, 130.90, 140.90, 160.90, 180.90



B:17 mm *C:65 mm*

ALT 111180

12V 33Amp
Suits Fiat 400, 500, 600, 700 800, 900 Series

B:27 mm *C:74 mm*

ALT 111283

12V 100Amp
Suits Fiat L85 1992 →

note: **ALT 113529** = 120A

C:80 mm

Key to symbols see Page 1

Ford (see also New Holland)

STR 110462

12V 2.8kW
Suits Ford, 2000, 2600, 2610, 2910, 3000, 3310, 3600, 3910, 4000, 4100, 4600, 4610, 5000, 5610, 6600, 6610, 6700, 6710, 7000, 7600, 7700, 7710, 7740, 7810, 7910, 8210, 8600, 8700, 9600, 9700, TW5, -10,-20,-30 TW15, -25,-35 →1995

10Th, 39.5Ø

3(0) *A:92* *B:22 mm*

STR 112074

12V 3.1kW
Suits Ford 7740, 7810, 7840, 8240, 8340, TM Series, TS Series, L Series, M Series 1996 →

10Th, 39.6Ø

3(0) *A:92* *B:21 mm*

STR 11470

6V
Suits Early Ford Tractors 8N, 9N

STR 11471

12V
Suits Early Petrol Ford Tractors 1957 - 75
4.5”

10Th, 33Ø

3(0) *A:92*

STR 110552

12V 1.2kW
Suits Ford 1310, 1510 w/ Shibaura 3-58 engine 1983 - 86

9

2(0) *A:74* *B:20 mm*

Key to symbols see Page 1

Ford (see also New Holland)

DYN 110484

12V 22Amp
C40T Vented Tacho Generator
Suits Ford 2000, 3000, 4000, 5000

C:114 mm

ALT 110178

12V 45Amp
Suits Ford 2600, 3600, 4100, 4600, 6600, 7600, 7700, 8600, 8700, 9700
1975 - 88
(Higher amp version use ALT 111363)



C:81 mm

ALT 111283 = 100A
ALT 113529 = 120A

12V 100Amp
Suits Ford P358, 5640, 6640, 7840
8240, 8340 1992 →

C:83 mm

ALT 111356

12V 70Amp
Suits Ford
(Opposite side mounting
to ALT 111363)



C:81 mm

ALT 111363

12V 70Amp
Suits Ford 2600, 3600, 4100, 4600, 6600, 6700, 7600, 7700, 8600
1988 →



C:81 mm

ALT 111739

12V 70Amp
Suits Ford 2600, 3600, 4100, 4600, 6600, 6700, 7600, 7700, 8600, 9700,

w/ Battery temperature
sensor terminal

C:81 mm

Key to symbols see Page 1

International (see also Case)

STR 111572

12V 2.8kW
Suits IH 474, 484, 485, 574, 584, 595, 674, 684, 685, 695, 784, 785, 795, 884, 885, 895, 995

10Th 39.5Ø

3(0) *A:89* *B:48 mm*

STR 111752

12V 2.7kW
Suits IH 221, 321, 431, 531, 553, 554, 574, 644, 724, 743, 744, 745, 824, 834, 844, 946, 956, 1046, 1246

9Th 34.8Ø

3(0) *A:89* *B:48 mm*

STR 113429

12V 4.2kW
Suits IH 1896, 2055, 2090, 2094, 2096, 2290, 2294, 2390, 2394, 2470, 2590, 2594, 2670, 2870, 3294, 3394, 3594, 4490, 4494, 4690, 4694, 4890, 4894, 4994, 7110, 7120, 7130, 7140, 7210, 7220, 7230, 7240, 7250, 8936,9110, 9130, 9210, 9230, 9240, 9310, 9330

10Th 39.5Ø

3(0) *A:92* *B:47 mm*

STR 110453

12V 3.6kW
Suits IH
Replacing CAV Starters

13Th 45.6Ø

3(0) *A:89* *B:48 mm*

STR 110438

12V 2.1kW
Suits IH 414

10Th 39.5Ø

3(0) *A:89* *B:20 mm*

STR 111885

12V 3.1kW
Suits IH Maxxum 5130, 5140, 5150 1990→

9Th 36.8Ø

3(0) *A:89* *B:48 mm*

STR 110818

12V 2.1kW
Suits IH 580, 850, 950, 990, 995, 996, 1200, 1210, 1212, 1290, 1390, 1490

11Th 40.5Ø

3(0) *A:92* *B:25 mm*

STR 11472

6V
Suits: Early International Tractors
Replacing 1107067, 1107093

10

International (see also Case)

DYN 110483

12V 11Amp
C40 Sealed Generator

Suits IH

DYN 110482

12V 22Amp
C40 Vented Generator

Suits IH

ALT 110075

12V 60Amp
Suits IH 444, 454, 544, 574, 656, 756, 826, 2544, 2806, 2826

External Regulator
Delco System

B:51 mm

ALT 110178

12V 45Amp
Suits IH 364, 474, 584, 784, 785, 484, 485, 574, 585, 674, 684, 685



C:81 mm

ALT 110641

12V 33Amp
Suits IH 1246, 321, 431, 531, 533, 644, 685, 785, 744, 844, 885

C:56 mm

ALT 111843

12V 95Amp
Suits IH, Steyer 110, 120, 135 Maxxum 5120, 5130, 5140

B:51 mm

ALT 111888

12V 65Amp
Suits IH 450, 455, 480, 580, 850, 885, 1150, 1155, 1550

C:51 mm

ALT 112773

12V 150Amp
Suits IH 7000, 8000, 2155, 2166, 2188, 2366, 2388, 2555

C:101 mm

Key to symbols see Page 1

Iseki

STR 111098

12V 1.0kW
Suits Iseki SL 3410, 3610, 3615, 3645 1985 - 92

9

2(0) *A:* *B:22mm*

STR 113428

12V 2.5kW
Suits Iseki, 5000, 6000, 7000 Isuzu 4BD1, 6BD1 eng 0-23000-1420, 0-21000-4690

11

3(0) *A:105mm* *B:39mm*

STR 11469

12V
Suits Iseki 4510, Ts1910
Replacing 021000-2484 9-8210-0608-1

Key to symbols see Page 1

ALT 110178

12V 45Amp
Suits Iseki



C:81 mm

ALT 111363

12V 70Amp
Suits Iseki



C:81 mm

ALT 110497

12V 70Amp
Universal Mount

C:84mm

JCB

STR 111573

12V 2.8kW
Suits JCB
Leyland engine
39.5mmØ pinion

10

3(0) *A:101* *B:25 mm*

STR 110615

12V 2.8kW
Suits JCB Fastrac
Perkins engine
39.5mmØ pinion

10

3(0) *A:89* *B:28 mm*

STR 111346

12V 2.8kW
Suits JCB
Perkins engine
39.5mmØ pinion

10

3(0) *A:89* *B:29 mm*

STR 110552

12V 1.2kW
Suits JCB mini digger
39.5mmØ pinion

9

2(0) *A:74* *B:20 mm*

Key to symbols see Page 1

ALT 111363

12V 70Amp
Suits JCB

IND
B +
B +

C:83 mm

ALT 112698

12V 100Amp
Suits JCB Fastrac 635, 636, 736, 737 1991→
High amp version = ALT 437195

C:83 mm

ALT 437195

12V 120Amp
Suits JCB

C:83 mm

John Deere

STR 111755

12V 2.7kW
Suits John Deere 1020, 1030, 1040, 1120,1130, 1140, 1530, 1630, 1640, 1830, 1840, 2030, 2040, 2130, 2140, 3040, 3130

10Th 32Ø

2(0) *A:82mm* *B:35 mm*

STR 112442

12V 3.0kW
Suits John Deere 6500 Series
Replacing Bosch 0001367077

10Th 39.5Ø

2(0) *A:89mm* *B:47 mm*

STR 113478

12V 2.8kW
Suits John Deere 5210, 5310, 5410
Replacing Valeo Starter D7R14

10Th 32Ø

2(0) *A:82mm* *B:36 mm*

STR 110485

12V 2.7kW
Suits John Deere 955
w/ Yanmar engine

15Th

2(0) *A:95mm* *B:19 mm*

STR 111224

12V 4kW
Suits John Deere 3020, 4030, 4040, 4520, 4620, 5720, 5730, 6030, 7020
Replacing Denso & Delco Units

10Th 39.5Ø

2(0) *A:89mm* *B:50 mm*

STR 110545

12V 3.0kW
Suits John Deere
(Rebadged Zetor)
Replacing Magneton starter

11Th 40Ø

2(0) *A:95mm* *B:19 mm*

John Deere

ALT 110105

12V 55Amp
Suits John Deere 1032, 1042, 1052,1055, 940, 1040, 1140, 1640, 1840, 2040, 2140, 3040, 3140

B:56 mm

ALT 111215

12V 95Amp
Suits John Deere 1065, 1068, 1072, 1075, 1085, 6100, 6200, 6300, 6400, 6500, 6800, 6900
High amp version
use ALT 113531

B:56 mm

ALT 111649

12V 33Amp
Suits John Deere 900 Series

B:56 mm

ALT 111850

12V 150Amp
Suits John Deere
2 x 56mm feet
Pulley to suit: PLY233940
8 Ribbed

B:56 mm

ALT 112062

12V 120Amp
Suits John Deere 6110, 6910
2 x 56mm feet
High amp version use ALT 111850
Pulley to suit: PLY 233940
8 Ribbed

B:56 mm

ALT 113531

12V 120Amp
Suits John Deere 6100, 6200, 6300, 6400, 6500, 6800, 6900

B:56 mm

Huge range of Alternator Pulleys Available

Phone our Customer Sales Team
0508 4 DASKO

QUALITY
RIX
UNITS
by Lansea Power Products

Kubota (also see PART 2)

STR 110421

12V 0.8kW
Suits Kubota B20, B155DT, B1750DT, B4200DT, B5100DT, B5200DT, B6000DT, B6100T, B6200DT, B7100DT, B7200DT
Replacing: 028000-7460, -9570

9

2(0) *A:66mm* *B:18mm*

STR 111021

12V 1.4kW
Gear Reduction
Suits Kubota D850, B2150DT, L225, L235, L245, L275, L2350DT, M6800, M8200, M9000

9

2(0) *A:66mm* *B:18mm*

STR 110720

12V 1.4kW
Gear Reduction
Suits Kubota L285DT, L295DT L2550DT, L2850DT, L3450DT, L3600DT, L3710DT, L37500DT, L4150DT, L4200, L4300

9

2(0) *A:82mm* *B:25mm*

STR 110940

12V 1.4kW Gear Reduction
Suits Kubota 4950
M4000, M4050, M4500, M4700, M4900, M4950, M5030DT, M54400DT, M5700

11Th

2(0) *A:82mm* *B:25mm*

ALT 10000



2 Phase Alternator Assembly

ALT 110258

12V 35Amp
Suits Kubota
Externally regulated

C:67mm

ALT 111048

12V 40Amp
Suits Kubota

IG
L

C:24 mm

ALT 112721

12V 60Amp
Suits Kubota

IG
L

C:21 mm

ALT 113401

12V 40Amp
Suits Kubota

C:68 mm

Landini

STR 110439

12V 2.1kW
Suits Landini 5560, 5860, Blizzard, Frutteto, Globus 55, RP30, PR20, Rex 60, 65, Vigneto

10Th 39.5Ø

3(0) *A:92* *B:25 mm*

STR 110615

12V 2.8kW
Suits Blizzard, Frutteto, Cabinato, Legend 120, 130, 140, 180, Mythos 110

10Th 39.5Ø

3(0) *A:89* *B:28 mm*

STR 111346

12V 2.8kW
Suits 6560, 6860, 7560, 7860, 8860,Atlantis, Atlas, Frutteto, Ghibli, Globus, Mythos, Rex
39.5mmØ pinion

10Th 39.5Ø

3(0) *A:89* *B:29 mm*

Key to symbols see Page 1

STR 990807

12V 3.0kW
Suits Atlas, Frutteto, Ghibli, Globus

10Th 39.5Ø

3(0) *A:89* *B:29 mm*

ALT 111363

12V 70Amp
Suits Landini w/ Perkins eng
Replacing A127 Marelli Alternator

IND
B +
B +

C:81 mm

ALT 112389

12V 95Amp
Suits Landini Ghibi 55, Globus 65, -75, -80, Legend 120, 130, 140, 160, 180, Mythos 100, 90

C:56 mm

ALT 113474

12V 65Amp
Suits Landini Atlantis, Atlas, Rex Blizzard, Frutteto, Glibli, Globus,
Replacing Iskra alternator

IND
B +
B +

C:83 mm

Leyland / Nuffield

STR 111573

12V 2.8kW
Suits Leyland 245, 255, 262, 270, 272, 285, 344, 284, 465, 472, 485

10Th 39.5Ø

3(0) *A:101* *B:25 mm*

STR 110818

12V 2.1kW
Suits Leyland

11Th 40.5Ø

3(0) *A:92* *B:25 mm*

DYN 110482

12V 22Amp
C40 Vented Generator

Suits Leyland

C:114mm

QUALITY ROX UNITS by Lansea Power Products

ALT 110178

12V 45Amp
Suits Leyland 245, 255, 270, 272, 285, 344, 384, 465, 472, 485

IND
B +
B +

C:82 mm

ALT 111363

12V 70Amp
Suits Leyland
High amp version of ALT110178

IND
B +
B +

C:82 mm

DYN 110483

12V 11Amp
C40 Sealed Generator

Suits Leyland

C:114 mm

McCormick

STR 111346

12V 2.8kW
Suits McCormick
BodyØ 127mm

10Th 39Ø

3(0) *A:89mm* *B:32 mm*

STR 990807

12V 3kW
Suits McCormick CX100, CX140, CX70, CX80, CX90, F100, F80, F90, MC100, MC115, MC125, MC80, MC90, MTX110, MTX155, MTX175
BodyØ 110mm

10Th 39.5Ø

3(0) *A:89mm* *B:32 mm*

STR 991023

12V 3kW
Suits McCormick MC120P6, MC135P6
BodyØ 90mm

10Th 39.5Ø

3(0) *A:89mm* *B:32 mm*

STR 110615

12V 2.8kW
Suits McCormick
BodyØ 127mm
3.0kW version use STR 990808 or Gear Reduction type use STR 991071

10Th 39.5Ø

3(0) *A:89mm* *B:28 mm*

Key to symbols see Page 1

STR 990808

12V 3kW
Suits McCormick CX50, CX60, MTX3, -4
BodyØ 110mm

10Th 39.5Ø

3(0) *A:89mm* *B:32 mm*

STR 991071

12V 3kW
Suits McCormick
BodyØ 90mm

10Th 39.5Ø

3(0) *A:89mm* *B:32 mm*

McCormick

ALT 111356

12V 70Amp
Suits McCormick CX100, CX60, CX80, CX90, F100, F80, F90



C:81 mm

ALT 111843

12V 95Amp
Suits McCormick CX140, MC115, MC125, MC90, MTX110, MTX155, MTX175

B:51 mm

ALT 990952

12V 120Amp
Suits McCormick MC120P6, MC135P6, MTX 3, MTX 4

B:51 mm

Massey Ferguson

STR 110439

12V 2.1kW
Suits MF 20, 40, 133, 134, 135, 140, 145, 148, 152, 154, 230, 235, 240, 245, 250, 255, 350, 355, 550, 4500

10Th 39.5Ø

3(0) *A:92mm* *B:25 mm*

STR 110442

12V 2.1kW
Suits MF 285, 298, 365, 375, 383, 390, 398, 399, 698, 699

2.8kW version use STR111346

10Th 39.5Ø

3(0) *A:89mm* *B:29 mm*

STR 110443

12V 2.1kW
Suits MF 101, 144, 685, 3085, 3095, 3200, 3635, 4000

2.8kW version use STR110615

10Th 39.5Ø

3(0) *A:89mm* *B:29 mm*

STR 110459

12V 2.8kW
Suits MF

10Th 39.5Ø

3(0) *A:89mm* *B:47 mm*

STR 110615

12V 2.8kW
Suits MF 3095, 3125, 3645, 3655, 3680

3.0 kW versions use: STR 990808 or Gear reduction type: STR 991071

10Th 39.5Ø

3(0) *A:89mm* *B:28 mm*

STR 111346

12V 2.8kW
Suits MF 30, 50, 102, 105, 165, 168, 186, 201, 205, 206, 274, 294, 307, 487, 506, 520, 525, 595, 620, 625, 690, 699, 1080, 1114
3.0kW version use:
STR 990807 or
Gear reduction type:
STR 991023

10Th 39.5Ø

3(0) *A:89mm* *B:29 mm*

STR 112136

12V 2.8kW
Suits MF 2620, 2640, 2645, 2680, 2685, 2720, 2725, 3080, 3090, 3610, 3630

10Th 39.5Ø

3(0) *A:89mm* *B:47 mm*

STR 991023

12V 3kW
Suits MF 330, 4325, 4335, 4345, 4355, 6225, 875
BodyØ 90mm

10Th 39.5Ø

3(0) *A:89mm* *B:32 mm*

STR 991071

12V 3kW
Suits MF 6270, 6290, 8210, 8220
BodyØ 90mm

10Th 39.5Ø

3(0) *A:89mm* *B:32 mm*

Massey Ferguson

STR 990808

12V 3.0kW
Suits MF
BodyØ 110mm

10Th 39.5Ø

3(0) *A:89mm* *B:32 mm*

STR 990807

12V 3.0kW
Suits MF
BodyØ 110mm

10Th 39.5Ø

3(0) *A:89* *B:32 mm*

STR 111103

12V 0.8kW
Suits MF28, MF35
5" DE Bracket

10Th & 9Th

Massey Ferguson

DYN 110483

12V 11Amp
C40 Sealed Generator
Suits MF FE35, MF135, MF65, MF 133, MF 140, MF 145, MF 148, MF 152, MF 158, MF 165, MF 174, MF 185, MF 5500, MF 6000, MF 6500

ALT 111204

12V 65Amp
Suits MF 133, 135, 142, 145, 148, 152, 155, 158, 168, 174, 184, 185, 194, 235, 240, 245, 254, 255, 260, 2640, 265, 2680, 2725, 275, 285, 290, 298, 3050, 3070, 565, 575, 590, 675, 690



B:27 mm

ALT 110178

12V 45Amp
Suits MF



C:81 mm

ALT 111363

12V 70Amp
Suits MF 1014, 1114, 1134, MF 350, 355, 360, 362, 365, 390, 398, 399, MF 354, 364, 374, 384, 394



C:81 mm

ALT 112698

12V 100Amp
Suits MF

High amp version of ALT 111363

C:83 mm

ALT 111356

12V 65Amp
Suits MF 154, 273, 274, 283, 284, 294



C:81 mm

ALT 437195

12V 120Amp
Suits MF 6000, 8000

C:83 mm

ALT 113529

12V 120Amp
Suits MF

High amp version of ALT 111356

C:83 mm

New Holland

STR 110462

12V 2.8kW
Suits New Holland 2000, 2600, 2610, 2910, 3000, 3310, 3600, 3910, 4000, 4100, 4600, 4610, 5000, 5610, 6600, 6610, 6700, 7000, 7600, 7700, 7710, 7740, 7810, 7910, 8210, 8600, 8700, 9600, 9700, TW5, -10, -20, -30 TW15, 25, 35 → 1995

10Th 39.5Ø

3(0) *A:92* *B:22 mm*

STR 112074

12V 3.0kW
Suits New Holland 7740, 7810, 7840, 8240, 8340, TM Series, TS Series, L Series, M Series 1996 →

10Th 39.5Ø

3(0) *A:92* *B:22 mm*

STR 110536

12V 3.0kW
Suits New Holland Deutz engine

9Th 34.5Ø

3(0) *A:89* *B:26 mm*

STR 113182

12V 3.0kW
Suits New Holland TL70, 80, 90, 100, TN 65, 70, 75, 80, 90, 95F, 3.9 4 cyl 1998 →
Replacing 0001230007

9Th 39.5Ø

3(0) *A:84* *B:20 mm*

STR 110813

12V 2.7kW
Suits New Holland Iveco engine

9Th 34.5Ø

3(0) *A:110* *B:27mm*

Key to symbols see Page 1

New Holland

ALT 110178

12V 45Amp
Suits New Holland, M133, 140, 1520, 1550, 2600, 3600, 4100, 4600, 6600, 7600, 7700, 8600, 8700, 9700 1975 - 88
(High Amp version use ALT 111363)



C:81 mm

ALT 111363

12V 70Amp
Suits New Holland, 2600, 3600, 4100, 4600, 6600, 6700, 7600, 7700, 8055, 8060, 8600 1985 →



C:81 mm

ALT 111283

12V 100Amp
Suits New Holland P358, 5640, 6640, 7840, 8240, 8340
1992 →
(High Amp version use ALT 113529)

C:82 mm

ALT 113529

12V 120Amp
Suits New Holland M100, 115, 135, 160, TM50, 115, 125, 150, 8160, 8260, 8360, 8560 1995 →

C:82 mm

ALT 63321744

12V 85Amp
Suits New Holland, PL8045
w/ Iveco engine

C:63 mm

ALT 110890

12V 65Amp
Suits New Holland 7635
1997 - 98
w/ Iveco engine

B:17 mm *C:65 mm*

QUALITY
RIX
UNITS
by Lansea Power Products

Renault

STR 111332

12V 2.7kW
Suits Renault 551, 556, 656, 681, Ceres 65, 70, 75

9Th 34.8Ø

3(0) *A:89* *B:24mm*

STR 113532

12V 3.0kW
Suits Renault Ares 710, 720, 836

10

2(0) *A:82* *B:34mm*

STR 111755

12V 3.0kW
Suits Renault Ares 540, 550

10Th 32Ø

2(0) *A:82mm* *B:35 mm*

STR 990739

12V 3.1kW
Suits Renault Ares 610, 620, 630, 640

10Th, 39.5Ø

3(0) *A:89* *B:51mm*

Key to symbols see Page 1

ALT 110641

12V 33Amp
Suits Renault R351M, 361, 421, 460, 486

C:56 mm

ALT 111204

12V 65Amp
Suits Renault 800, 850, 900, Ceres 65, 70, 85, Ergos 85

B:27 mm

ALT 990738

12V 95Amp
Suits Renault Ares 540, 540, 610, 620, 630, 640, 710, 725, 735, 815, 825, Ceres 75, 85, 95, Cergos 330, 340, 350, Ergos 105

B:56 mm

ALT 991073

12V 120Amp
Suits Renault

(High amp version for ALT 990738)

B:56 mm

Same

STR 110530

12V 3.0kW
Suits Same Antares, 110, 130, Argon 50, 60, 70, Aurora 45, Buffalo 120, 130, Centauro 70, Centurion 75, Condor 55, Corsaro Drago 120, Explorer 55, 65, 75, 85, Frutteto 60, 75, Jaguar 95, 100, Laser 110, 150, Leopard 85, 90, Panther 90, 95, Satumo, Taurus 60, Tigerdoo

11Th 41Ø

3(0) *A:82* *B:21mm*

STR 111001

12V 3.0kW
Suits Same Antares 110, 130, Explorer 70, 80, 90, Frutteto 75, 85, Golden 75, 85, Laser 100, 110, 130, 150, Silver 100, 80, 90 Titan

9Th 34.8Ø

2(0) *A:82* *B:23mm*

Key to symbols see Page 1

STR 990751

12v 3kW
Suits Same Ariete, Drago

9Th 34Ø

3(0) *A:89* *B:51mm*

STR 110551

12v 3kW
Suits Buffalo, Dargo

11Th 41Ø

3(0) *A:89* *B:51mm*

Same

ALT 111649

12V 33Amp
Suits Same Aurora, Delfino, Fox, Sirenetta, Condor



B:56 mm

ALT 110890

12V 65Amp
Suits Same Antares, Argon, Centauro, Centurion, Dorado, Drago, Explorer, Falcon, Frutteto, Laser, Mercury, Panther, Saturno, Taurus, Titan

B:17 mm *C:65 mm*

ALT 111180

12V 33Amp
Suits Same Buffalo, Centauro, Centurion, Corsaro, Delfino, Drago, Falcon, Jaguar, Leopard, Mercury, Minitaurus, Panther, Solar, Taurus

B:27 mm *C:74 mm*

ALT 112389

12V 95Amp
Suits Same Argon, Dorado, Rubin, Silver, Goldin

B:56 mm

ALT 990514

12V 65Amp
Alternator for Cabin Heating
Suits Same Antares, Argon, Explorer, Frutteto, Goldin, Silver, Solar

C:67 mm

ALT 990598

12v 70Amp
Alternator for Cabin Heating
2 wire
Suits Same Tractors

B:56 mm

ALT 990670

12V 70Amp
Alternator for Cabin Heating
3 wire
Suits Same Antares, Silver

B:56 mm

UTB - Universal

STR 110640

12V 3kW
Suits UTB, Universal, Romanian Fiat, 350, 445, 453, 523, 530, 533, 550, 640, 683, 703, 1010DT

9Th 34.5Ø

3(0) *A:110* *B:26mm*

QUALITY RTX UNITS by Lansea Power Products

ALT 110639



12V 36Amp
Suits UTB, Universal, Romanian Fiat 350, 445, 453, 530, 533, 550, 640, 643, 650, 652, 703, 1010

B:61 mm

Key to symbols see Page 1

Valtra Valmet

STR 110545

12V 3.0kW
Suits Valtra 504, 505, 542, 500, 502, 6000, 6600, 602, 605, 655, 700, 712, 802, 803, 805, 855, 900, 902, 903, 905, 912, C100

11Th 41Ø

3(0) *A:89* *B:48 mm*

STR 110459

12V 3.0kW
Suits Valtra 504, 565, 604, 6100, 6300, 6400, 6600, 6750, 6800, 6850, 800, 805, 8050, 8150, 8400, 8100, 8200, 8450, 8550, 8750, 865, 8950, 900, C100

10Th 40Ø

3(0) *A:89* *B:48 mm*

STR 113570

12V 4.2kW
Suits Valtra T120, T190
2000 →

11Th 41Ø

3(0) *A:89* *B:48 mm*

STR 113484

24v 4.0kW
Suits Valtra SK150
1981 - 1995

11Th 41Ø

3(0) *A:89* *B:31 mm*

Key to symbols see Page 1

ALT 111363

12V 70Amp
Suits Valtra 1394, 1494, 1594,1694, 365, 465, 565, 505, 605, 6300, 6400, 6600, 665, 705, 800, 805, 8050, 8150, 8450, 8400, 865, 900, 905, C100, C15, C20, C200

IND
B +
B +

C:83 mm

ALT 112389

12V 95Amp
Suits Valtra 6300, 6750, 6850, 8050, 8150, 8450, 8550, 8750, 8950, 3260, X120

C:56 mm

ALT 113610

12V 120Amp
Suits Valtra S260

(High Amp version of ALT 112389)

C:56 mm

Zetor

STR 110545

12V 3.0kW
Suits Zetor 3011, 3045, 3320,3340, 3321, 3511, 3545, 3341,3513, 4320, 4340, 4321, 4341, 4511, 4611, 4712, 4718, 4911, 5011, 5211, 5245, 5320, 5340, 5511, 5545, 5516, 5611, 5645, 5647, 5711, 5718, 5745, 5748, 5911, 6011, 6211, 6245, 6320, 6341, 6511, 6522, 6711, 6745, 6911, 6918, 7011, 7211, 7321, 7711

11Th 41Ø

3(0) *A:89* *B:47 mm*

STR 110551

12V 3.0kW
Suits Zetor Crystal, 8011, 8045 8111, 8145

11Th 41Ø

3(0) *A:89* *B:47 mm*

STR 990863

12V 3.1kW
Suits Zetor 10520, 10540, 10641, 7520, 7540, 8520, 8540, 9520, 9540, 9641

9Th 34.8Ø

3(0) *A:89* *B:51 mm*

QUALITY RTX UNITS by Lansea Power Products

ALT 110542

12V 55Amp
Suits Zetor 10145

B:51 mm

ALT 110621

12V 55Amp
Suits Zetor 3320, 3340, 3321, 3341, 4320, 4340, 4321, 4341, 5211, 5245, 5320, 5340, 5321, 5341, 6211, 6245, 6320, 6340, 6321, 6341, 7211, 7245, 7321, 7341, 7711, 7745, 8520, 8540, 9520, 9540

B:66 mm

Key to symbols see Page 1

Work Lamps & Accessories

WL 1000-12

Compact Power Worklamp

2 Pin Plug Connection
12V 55W Halogen globe
Beam 20m x 20m

WL 1100

Compact Power Worklamp

Side on pedestal mount

Beam 20m x 20m

WL 1200-12

Compact Power Worklamp
2 Pin Plug Connection
With handle & switch
12V 55W Halogen globe
Beam 20m x 20m

WL 1300-12

Compact Power Worklamp
2 Pin Plug Connection
With magnet, handle, switch and curly cord
Beam 20m x 20m

WL 2000-12

Supa Power Worklamp
2 Pin Plug Connection
12V 55W Halogen globe
Beam 30m x 35m

WL 2100-12

Supa Power Worklamp
2 Pin Plug Connection
With handle and switch
12V 55W Halogen globe
Beam 30m x 35mm

WL 2200-12

Supa Power Worklamp
2 Pin Plug Connection
With magnet, handle, switch and curly cord
Beam 30m x 35m

WL 3000-12

Twin Power Worklamp
2 Pin Plug Connection
2 x 12v 55w Halogen Globes
Beam 45m x 35m

WL 3100-12

Twin Power Worklamp
2 Pin Plug Connection
With handle & switch
2 x 12v 55w Halogen Globes
Beam 45m x 35m

Work Lamps & Accessories

WL 3200-12

Twin Power Worklamp
2 Pin Plug Connection
With magnet, handle, switch and curly cord
2 x 12v 55w Halogen globes
Beam 45m x 35m

WL 4000

Pro Power Worklamp

Lamp Size 140mm sq
Pedestal mount

WL 4500

Rubber Body Worklamp

Robust, economical flood lamp
120mm Ø

WL 4600

Rubber Body Worklamp

Robust, economical flood lamp
160mm Ø

WL 4360

John Deere Cab Flood Worklamp Insert.

Sealed lamp with Halogen globe
12v 37.5w
Size 72 x 140mm
2 Pin

"E" Power Oval Worklamps

WL 6400-12

E Power Worklamp
2 Pin Plug Connection
- Spot beam
- 12V 55W Halogen globe
- With handle & switch
Beam 90mtr L x 45mtr W

WL 7300-12

E Power Worklamp
2 Pin Plug Connection
- Twin spot beam
- 2 x 12V 55W Halogen globes
Beam 110mtr L x 60mtr W

WL 7400-12

E Power Worklamp
2 Pin Plug Connection
- Twin spot beam
- 2 x 12V 55W Halogen globes
- With handle & switch
Beam 110mtr L x 60mtr W

WL 7500-12

E Power Worklamp
2 Pin Plug Connection
- Twin Spot Beam
- 2 x 12V 55W Halogen globes
- with magnet, handle, switch and curly cord
Beam 110mtr L x 60mtr W

WL 6100-12

E Power Worklamp
2 Pin Plug Connection
- Flood beam
- 12V 55W Halogen globes
- With handle switch
Beam 45mtr L x 30mtr W

WL 7000-12

E Power Worklamp
2 Pin Plug Connection
- Twin Flood beam
2 x 12V 55W Halogen globes
Beam 60mtr L x 50mtr

WL 7100-12

E Power Worklamp
2 Pin Plug Connection
- Twin Floodbeam
- 2 x 12V 55W Halogen globes
- With Handle & Switch
Beam 60mtr L x 50mtr W

WL 7200-12

E Power Worklamp
2 Pin Plug Connection
- Twin Flood beam
- 2 x 12V 55W Halogen globes
- With magnet, handle, switch and curly cord
Beam 60mtr L x 50mtr W

Headlamps & Accessories

HL 1000

High/Low Beam Headlamp Assembly
Halogen H4 P43T globe
Ⓔ Approved
Size 185 x 103mm

Fitment

HL 2000

High/Low Beam Headlamp Assembly
Recessed fitment
Halogen H4 P43T globe
Ⓔ Approved
Size 171 x 140mm

HL 3000

High/Low Beam Headlamp Assembly
Halogen H4 P43T globe
Ⓔ Approved
Suits Case, Fendt, Ford, IH, John Deere, MF
Size 161 x 100mm

HL 4000

High/Low Beam Headlamp Flasher lamp assembly
Halogen H4 P43T globe
Ⓔ Approved
Horizontal or vertical mount

HL 5000 L & RH

High/Low Beam Headlamp Assembly
LH or RH
Horizontal Mount
Bulb: 45/40w P45T

Many More Sealed & Semi Sealed Beams Available

Phone our sales team free

0508 432 756

SS 170239

Headlamp Insert

Semi sealed beam
Size 139mmØ
Suits P45T Globe, w/ park
Fits Fiat

SS 170844

Headlamp Insert

Semi sealed beam
Size 117mmØ
Suits BA20D bulb, w/ park

SB 4440X

Headlamp Insert

Sealed beam
3 pin
12v 40/45w
Size 114mmØ
Suits David Brown, Ford

Accessories - Tractor Headlamp Assemblies

HL 1601

Suits Same
Size 140x140mm

HL 1602

Suits Same
Size 155x102mm

HL 1603

Suits MF
Size 167x106mm

HL 1604

Suits Fiat
Size 179x120mm

HL 1605

Suits Deutz Fahr,
John Deere
Size 142mm Ø

HUGE RANGE OF O.E. FITTING LAMPS ARRIVING SOON

Accessories - Tractor Front Lamp Assemblies

UN170927

Position & Direction Amber Clear Front Lamp

Size 80 x 120 x 55mm

Lens only: UN170989

UN171217 LH
UN171218 RH

Flasher / Parklamp

Suits JD

Size 64 x 158 x 51mm

UN170925

Flasher / Parklamp
Suits Case, JD, Deutz

Size 84 x 84 x 51mm

UN171510

Flasher / Parklamp

Suits Fiat

Size 60 x 180 x 52mm

IH40-2

Universal Indicator Lamp

HUGE RANGE OF O.E. FITTING LAMPS ARRIVING SOON

Accessories - Tractor Tail Lamp Assemblies

UN170986

Rear Stop/Tail Flasher Lamp

Size 60 x 180 x 52mm

UN174000 LH
UN174001 RH

Rear Stop/Tail Flasher Lamp

Size 76 x 184mm
Suits Case

UN174002

Rear Stop/Tail Flasher Lamp

Size 62 x 300mm
Suits MF, Landini

UN1431 LH
UN1432 RH

Rear Stop/Tail Flasher Lamp
Left & right hand available
To be mounted on a
sloping mudguard

UN171203

Size 64 x 158 x 51mm

UN170943

Size 80 x 120 x 55mm

LED 93404BL
LED 93408BL

Includes Built-in licence plate lamp

LED multivolt rear stop/tail indicator combination lamp
Includes 500mm of cable prewired
Size 108x108x35mm
Polycarbonate Lens
Shock Proof

(12V only option available)

LED 93604BL
LED 93608BL

Includes Built-in licence plate lamp



LED multivolt rear stop/tail indicator combination lamp
Includes 500mm of cable prewired
Size 155x76x40mm
Polycarbonate Lens
Shock Proof

(12V only option available)

LED 30-03

Multi-Volt
Stop / Tail Indicator Lamp
Size 200 x 50mm
ADR approved
20 LEDs

Accessories - Universal Trailer Tail Lamps

UN121872

Magnetic Stop / Tail / Flasher Lamp kit
Universal use for towing machinery on the highway

- 4 Mtr of cable between lamps
- 12 Mtr of cable from lamps to trailer plug

86030 TP

Trailer Lamp Pack with 7 pin plug & cable

Lamp size 107x107x42mm

- 2 Rear lamps with retro reflector and Nº Plate lamp
- 1 male 7 pin flat trailer plug
- 4 wire taps
- 6 mtr of 5 core trailer cable

86470 TP

Trailer Lamp Pack with 7 pin plug & cable

Lamp size 82x167x50mm

- 2 Rear lamps with retro reflector and Nº. Plate lamp
- 1 male 7 pin flat trailer plug
- 4 wire taps
- 6 mtr of 5 core trailer cable

UN171171

Small Square Clearance Lamp
Size 62 x 62 x 46mm
Clear

UN171172

Small Square Clearance Lamp
Size 62 x 62 x 46mm
Amber

UN171173

Small Square Clearance Lamp
Size 62 x 62 x 46mm
Red

84007

Adhesive Reflector
65mm Diameter Red
Also available in Amber or Clear

84022

Central hole mount reflector
84mm Diameter Red
Also available in Amber or Clear

Accessories - Rotating Beacons & Accessories

WL190829

Robust Rubber body
Magnetic Base Beacon
12 / 24v

WL190830

Robust Rubber body
Flange Mount Beacon
12 / 24v

WL190831

Robust Rubber body
Pipe Mount Beacon
12 / 24v

85336A

Strobe Lamp
12-80v
Low current draw (0.03/0.05 amps)
Polycarbonate lens

85338A

Strobe Lamp
12-80v
Low current draw (0.03/0.05 Amps)
Polycarbonate lens

WL170292

Pipe Mount Beacon fixture

Weld on

WL170788

Pipe Mount Beacon fixture

Bolt on stepped bracket

WL170790

Pipe Mount Beacon fixture

Bolt on right angle bracket

WL170537

Pipe Mount Beacon fixture

Bolt on vertical side mount bracket

Accessories - Plugs & Sockets

180377

Screw in Socket
To suit Pipe Mount Beacons and accessories
12V 20A

180379

Accessory plug

180378

Cigarette lighter plug with curly cord

180306

3 Pole Socket
4 hole mount

180307

3 Pole Socket
2 hole mount

180308

3 Pole Plug
To suit 180306, 180307

180403

4 Pole Plug
To suit 180404

180404

4 Pole Socket
To suit 180403

Accessories - Plugs & Sockets

SSR 16

Marine Quality Stainless / Plastic Power Socket
2 hole mount
Rubber boot cover

SS 16

Marine Quality Stainless / Plastic Power Socket
3 hole mount
Rubber boot cover

SP 16

Marine Quality Stainless / Plastic Plug
Suits SSR 16, SS 16, SSM 16, SSK16 sockets

SSM 16

Surface Mounted Power Socket Box
w/ rubber boot cover

SSK 16

Marine Quality Stainless / Plastic Power Socket
Threaded nut mount
Rubber boot cover

EP 1000

3 Pin DIN plug
to suit Solenoid Coils

EP 1002

"Common" Plug & Socket Set
2 Pin

EP 2002

"Euro" Style Socket
2 Pin

Accessories - Wiper Products

WX 10000

2 Speed, Self Park
Wiper Switch

SW 444046

2 Speed, Rocker
Wiper Switch



WP 160223

12v Universal
Washer Pump

Full range of Washer Pumps & Kits available

Ask for our Wipex Catalogue Today

WK 4-00

Windscreen Washer Bottle Kit
12V

Accessories - Wiper Products

WA 23040

400mm Pentograph Wiper Arm
M6 Taper
Suits WM 20112 Motor
Available size 400mm, 450mm, 500mm, 550mm

WA 22040

400mm Pentograph Wiper Arm
6mm Straight
Suits WM 23612 Motor

WB 20336

Flat Screen Blade
360mm Long

WB 23040

Flat Screen Blade
400mm Long

WB 10140

Flat Screen Blade
400mm Long

WB 10145

Flat Screen Blade
450mm Long

WB 22045

Wiper Blade
450mm Long
Suits WA 23040, 22040

WB 22050-1

Wiper Blade
500mm Long
Suits WA 23040, 22040

WB 22060-3

Wiper Blade
600mm Long
Suits WA 23040, 22040

Accessories - Wiper Products

WM 31012

Wiper Motor
12v 360°
2 Speed Motor
8 - 10mm Taper Shaft
Suits Fiat Tractor etc

WM 23212

Wiper Motor
12v 110°
Short shaft
w/ switch
6mm Straight Shaft

WM 23612

Wiper Motor
12v 110°
w/ switch
6mm Straight Shaft

WM 20112

Wiper Motor
12v 95°
Automatic Stop
M6 Taper Shaft

Note: WM30112 as above
12v 95°
M8 Taper Shaft

WM 21112

Wiper Motor
12v
Automatic Stop
Suits IH, Zetor
M6 Taper Shaft

WA 30033-42

Adjustable 6mm Wiper Arm

From 330 - 420mm Arm

WA 30042-51

Adjustable 6mm Wiper Arm

From 420 - 510mm Arm

WA 11140

T6 Taper Wiper Arm

400mm Arm

WA 11155

T6 Taper Wiper Arm

550mm Arm

Accessories - Blower Fan Assemblies

SW 180125

Blower Fan Switch
w/ Resistor

0 - 1 - 2 positions

BFM 160250

Blower Fan Motor
12v
Shafts 10x 110mm
OD 90mm L 105mm
3 speed

BFM 160253

Blower Fan Motor
12v
Shafts 8 x 83mm
OD 76mm L 86mm
3 speed

BFM 160622

Blower Fan Motor
12v
Shafts 8 x 51mm
OD 74mm L 121 (Body only)
Suits MF

BFM 160625

Blower Fan Motor
12v

Suits Fiat

BFM 160709

Blower Fan Motor
12v
Shaft 8x36mm
OL 148mm

BFM 170100

Blower Fan Motor
12v
Shafts 8 x 60mm
OD 59.5mm L 102mm
Suits John Deere, Deutz

BFM 160483

Blower Fan Assembly
12v
3 Speed



BFM 160510

Blower Fan Assembly
12v
3 Speed
Suits Ford, New Holland



Accessories - Blower Fan Assemblies

BFM 160511

Blower Fan Assembly
12v
1 Speed
Suits Deutz, New Holland



BFM 160647

Blower Fan Assembly
12v
3 Speed
Suits Ford, New Holland



BFM 160639

Blower Fan Assembly
12v
3 Speed



BFM 160592

Blower Fan Assembly
12V
3 Speed
Suits Renault Tractors



Accessories - Tractor Switches

IGS 108016

Universal Ignition Switch
19mmØ shank
4 stud connections
Functions Acc, Off, Ignition, Start

Connections
1. Battery
2. Ignition
3. Accessory
4. Start



IGS 1901

Tractor Ignition Switch
Suits Ford
16mmØ shank
Functions Off, Ignition, Glow, Start

Connections
1. Battery
2. Ignition
3. Glow
4. Start



IGS 1902

Tractor Ignition Switch
Suits MF
16mmØ shank
Functions Glow, Off, Start

Connections
1. Battery
2. Start
3. Glow



IGS 1903

Tractor Ignition Switch
Suits Tractors
19mmØ shank
Functions Off, Acc, Ignition, Glow, Start

Connections
1. Battery
2. Acc
3. Glow
4. Ignition
5. Start



IGS 1904

Tractor Ignition Switch
Suits New Holland
16mmØ shank
Functions Glow, Off, Ignition, Glow, Start

Connections
30. Battery
AC. Ignition
19. Glow
17. –
50. Start



IGS 1010

Tractor Ignition Switch
Suits Fiat
22mmØ shank
Functions Parks, Off, Ignition, Parks, Low, High

Connections
30. Battery
51. Ignition
30/1. Battery
58. Park light
56B. Low Beam
56. High Beam



IGS 1011

Tractor Ignition Switch
Suits Fiat
22mmØ shank
Functions Acc, Off, Ignition, Start

Connections
30. Battery
51/54. Ignition
57. Glow
57/58. –
50. Start

IGS 1012

Tractor Ignition Switch
Suits Fiat
26mmØ shank
Functions Glow, Off, Start

Connections
30. Battery
50. Start



IGS 1176

Tractor Ignition Switch
Suits John Deere
14mmØ shank
Functions Glow, Off, Start

Accessories - Switches

IGS 180044

Tractor Ignition Switch
Suits Deutz, Fendt, Case
26mmØ Shank
Functions
Ignition, Headlamps, Start
Connections
30. Battery
58. Acc
15/54. Ignition
17. Start
19. Glow
50a. –



IGS 180045

Tractor Ignition Switch
Suits John Deere
26mmØ Shank
Functions
Off, Ignition, Headlamps

Connections
30. Battery
56. Headlamp
58. Parklamps
I5. Ignition



IGS 181465

Pair of Ignition Switch Keys

SW 230101

Rotary Headlamp Switch
Suits MF
16mmØ Shank

SW 230201

Rotary Headlamp Switch
Suits Fiat
22mmØ Shank

SW 230301

Rotary Headlamp Switch
Suits Ford
16mmØ Shank

SW 230119

Tractor Indicator Switch

14mmØ Shank

SW 030108

Splash Proof
Push Button Switch

SW 24118

Waterproof 20amp toggle
On / Off Switch

Accessories - Switches

SW 180271

Master Battery Cut Off Switch

SW 24100

Button Type Micro switch
Size 50 x 23 x 16mm

SW 24101

Flexi Lever Type Micro Switch
Size 54 x 40 x 22mm

SW 24102

Button Type Micro Switch w/ wheel
Size 50 x 23 x 16mm

SW 24103

Lever Type Micro Switch
Size 50 x 30 x 16mm

SW 24104



Lever Type Micro Switch w/ wheel
Size 50 x 30 x 16mm

Accessories - Rocker Switches

Physical Dimensions & Appearance of Rocker Switch

Switches Include
12v Pilot Lamp and a range of symbols & blanks available also





SW 444001

On / Off Rocker Switch
2 Terminal

Suits Worklamp, Beacon Circuits



SW 444046

On / Off Rocker Switch
4 Terminal

Suits Worklamp, Beacon Circuits



SW 444055

Mom On / Off / Mom On Rocker Switch
6 Terminal



SW 444085

Off / On / On Rocker Switch
5 Terminal

Suits Headlamp Circuit



SW 444129

Mom On / Off Rocker Switch
4 Terminal



SW 444169

On / Off / Rocker Switch w/ lock button
2 Terminal



Accessories - Electrical Hydraulic Solenoid Valve Parts

SC 1012 L 12v
SC 1024 L 24v

Hydraulic Electrical Solenoid Valve Coil
w/ leads

Size: H37, W33, I.D 10mm

SC 1312 L 12v
SC 1324 L 24v

Hydraulic Electrical Solenoid Valve Coil
w/ leads

Size: H37, W33, I.D 13mm

SC 1612 L 12v
SC 1624 L 24v

Hydraulic Electrical Solenoid Valve Coil
w/ leads

Size: H51, W44, I.D 16mm

SC 2112 L 12v
SC 2124 L 24v

Hydraulic Electrical Solenoid Valve Coil
w/ leads

Size: H60, W44, I.D 21mm

SC 1312 D 12v
SC 1324 D 24v

Hydraulic Electrical Solenoid Valve Coil
w/ DIN plug

Size: H37, W33, I.D 13mm

SC 1612 D 12v
SC 1624 D 24v

Hydraulic Electrical Solenoid Valve Coil
w/ DIN plug

Size: H51, W44, I.D 16mm

SC 2112 D 12v
SC 2124 D 24v

Hydraulic Electrical Solenoid Valve Coil
w/ DIN plug

Size: H60, W44, I.D 21mm

EP 1000

3 Pin DIN plug
to suit Solenoid Coils

Tractor Ignition Components

XR 9903-IH

J Type Magneto Rotor Arm

Suits Farmall, IH, McCormick

XR 990-IH

H4 Type Magneto Rotor Arm

Suits Farmall, IH, McCormick

XR 52

Rotor Arm

Suits Massey Harris, MF, Fordson

For application listings & cross references phone our helpful team

*Please note this is a small selection of what we have available

XIC 8001

6 Volt Vintage Ignition Coil

XIC 8002

12 Volt Vintage Ignition Coil

XIC 8040

12v Standard Ignition Coil

Tractor Ignition Components

XCON 5500-IH

Magneto Condenser

Suits Farmall, IH, McCormick

XCON 503-FM

Magneto Condenser

Suits Allis Charmers

XCON 32

Condenser

Suits Massey Harris, MF Fordson

XD 51

Distributor Cap

Suits Bristol, Massey Harris, MF, Nuffield

XD 9900-IH

J Type Magneto Distributor Cap

Suits Farmall, IH, McCormick

XD 9902-IH

H4 Type Magneto Distributor Cap

Suits Farmall, IH, McCormick
→ 1958

For application listings & cross references phone our helpful team

***Please note this is a small selection of what we have available**

Tractor Ignition Components

XCS 1010-IH

J Type Magneto Contact Set

Suits Farmall, IH, McCormick

XCS 1011-IH

H4 Type Magneto Contact Set

Suits Farmall Club, IH, McCormick

XCS 1014-IH

Contact Set

Suits Farmall, IH, McCormick

XCS 1015-IH

Contact Set

Suits Farmall

XCS 32

Contact Set

Suits Fordson

XCS 1121-W

Magneto Contact Set

Suits Farmall, IH, McCormick

XCS 14

Contact Set

Suits Massy Harris, MF

Miscellaneous Electrical Products

XRL 160654

"Flip Flop" Headlamp Relay
12v
Suits Case

68028

5 pin Relay
12v 40Amp
w/ resistor

68044

5 pin Changeover Relay
12v 40/30 Amp
w/ Resistor

Full Range of Relays Available

Full Range of Glowplugs Available

Phone our helpful Sales Team

QGP 100177

12v Thermo Glow

Suits Perkins

GPI 1000

12v Glow Plug Indicator

Suits International

Electrical Consumables

56530

Professional Terminal Assortment Kit

Full Range of connectors and terminals available

56820BK Black
56820RD Red

PVC Insulation Tape
20mtr roll
- 19mm wide

SPIRAL SLEEVE
56700 & 56702

Spiral Wrap

56700 - Wraps from 6mm - 18mmø

56702 - Wraps from 12mm - 35mmø

Available in 10 mtr lengths

SPLIT SLEEVE

56707	7mm
56710	10mm
56713	13mm
56716	16mm
56720	20mm

Corrugated split sleeve tubing
all in 10mtr lengths

Full Range of Heatshrink Tubing Available

WEATHERPROOF CONNECTORS

56471BL 1 way male/female

56472BL 2 way male/female

56473BL 3 way male/female

56474BL 4 way male/female

Phone our helpful Sales Team For a Catalogue of these items

Electrical Consumables

Full Range of Circuit Breakers Available

Phone our helpful Sales Team For a Catalogue of these items

Full Range of Fuse Holders and Fuses Available

Cable Ties

56300 10 Pack
2.5x100mm

56400 100 Pack
2.5x100mm

56302 10 Pack
3.6x140mm

56402 100 Pack
3.6x140mm

Cable Ties

56304 10 Pack
4.8x200mm

56404 100 Pack
4.8x200mm

56306 10 Pack
4.8x300mm

56406 100 Pack
4.8x300mm

Cable Ties

56308 10 Pack
4.8x370mm

56408 100 Pack
4.8x370mm

56310 10 Pack
7.6x370mm

56410 100 Pack
7.6x370mm

Cable Ties

Heavy Duty
Extra Long

192041 100 Pack
12x750mm

Tie up those hydraulic Hoses

Cable Ties

With 5mm Mounting Hole

192013 100 Pack
4x220mm

Full Range of Automotive Cable Available

Electrical Consumables

49211

Headlamp Bulb

12v 45/40W P45T

49212

Headlamp Bulb

12v 50/40W P22D

48881

H4 Halogen Headlamp Bulb

12v 60/55W H4 P43T

DU 170726

Headlamp Bulb

12v 37.5W
Suits New Holland

DU 124545 T

Headlamp Bulb

12v 45/45W P15D

DU 170573

Headlamp Bulb

12v 45/40W BA205

Full Range of Globes Available

Phone our helpful Sales Team For a Catalogue of these items

Tools & Test Equipment

DT 830B

Digital Multimeter

- Measures AC/DC Voltage, DC Current and resistance
- Battery check for 1.5v and 9v dry cell batteries
- Test diodes and resistors

DT 900

Digital Clamp Meter

- Quick and simple way to measure current without interrupting the circuit
- AC/DC and resistance measurement
- 0-600 Amps, 0-600 Volts

CT 620

Circuit Tester

- Tests 6 and 12 Volt circuits
- Globe illuminates to indicate power
- 1mtr lead

56511

Cable Cutting, Stripping & Crimping Tool

Efficient design makes wire stripping quick and easy

56515

Cable Cutting Tool

A heavy duty, quality tool for cutting cable upto 60mm²

56516

Cable Lug Crimping Tool

A heavy duty, high quality crimping tool with long arms for extra leverage
Suits lug sizes: 10mm² - 95mm²

Phone our helpful Sales Team For a Catalogue of these items

Battery Related Accessories

BHD 18M

Metal Battery Hold Down Bracket

- 180mm battery hold down clamp
- Includes bolts, washers and wingnuts
- Suitable for batteries between 160 - 175mm in width

BB 10

Battery Hold Down Bolts

- For universal application
- 255mm in length
- Includes washers and wingnuts

BCS 17

Battery Carrying Strap

430mm long

Makes carrying batteries easy



AC 200

Anti-Corrosion Battery Post Felt Pads

Red and Green

BH 100

Battery Acid Hydrometer Tester

- Checks the specific gravity reading of a battery to measure how well charged it is
- Glass tube
- Simple and easy to use

BTS 100

Battery Terminal Spreader Tool

- Used for expanding universal battery terminals to allow correct fitment to battery post

BMX 100

3 Way Battery Post & Terminal Cleaner

Quick and easy way to reform battery posts and clean terminals for a good connection

GDW2 2 litre
GDW4 4 litre

Distilled Water

Lengthens the life of batteries

PBT 200

Plastic Battery Tray

Size 185x280mm

- Will not rust
- Can be used in conjunction with battery hold down clamps

Battery Related Accessories

BT 14H-P1

Positive HD Wingnut Battery Terminal

- 10mm Stud

BT 14H-N1

Negative HD Wingnut Battery Terminal

- 10mm Stud

5802-30BK Black
5802-30RD Red

Battery Starter Cable

32mm² Cable
255 Amp
30 mtr roll

580-30BK Black
580-30RD Red

Battery Starter Cable

49mm² Cable
330 Amp
30 mtr roll

5800-30BK Black
5800-30RD Red

Battery Starter Cable

64mm² Cable
390 Amp
30 mtr roll

BCO-30 300mmL
BCO-46 460mmL
BCO-61 610mmL
BCO-76 760mmL
BCO-91 910mmL
BCO-106 1060mmL
BCO-122 1220mmL
BCO 153 1530mmL

Battery Starter Cable
65mm² HD Cable

BCSO-30 300mmL
BCSO-38 380mmL
BCSO-46 460mmL
BCSO-61 610mmL
BCSO-76 760mmL
BCSO-91 910mmL
BCSO-106 1060mmL
BCO-122 1220mmL

Battery Cable
65mm² HD Cable

CL33-50 8mm 35mm²
CL34-50 10mm 35mm²
CL37-50 8mm 50mm²
CL38-50 10mm 50mm²
CL39-50 13mm 50mm²

Cable Lugs

Phone our helpful Sales Team For a Catalogue of these items

Battery Related Accessories

SB 500SP

Surge Protected Booster Cables
With heavy duty clamps
Packaged in a convenient carry bag

500 Amp, 16mm² Cable, 3.5mtr L

SB 600SP

Surge Protected Booster Cables
With heavy duty clamps
Packaged in a convenient carry bag

600 Amp, 25mm² Cable, 3.5mtr L

SB 750 SP

Surge Protected Booster Cables
With heavy duty clamps
Packaged in a convenient carry bag

750 Amp, 35mm² Cable, 3.5mtr L

SB 900SP

Surge Protected Booster Cables
with Heavy Duty Clamps and
Packaged in a convenient carry bag

900 Amp, 50mm² Cable, 3.5mtr L

BC 1000B Black

1000Amp Battery Clamps

Solid Brass
Fully Insulated
Copper Bridging Strap

BC 1000R Red

1000Amp Battery Clamps

Solid Brass
Fully Insulated
Copper Bridging Strap

BT 001

Master Isolating
Negative Battery Terminal

Simple, easy to install, the negative battery lead connection now connects to the rear of the above terminal
Turn the dial to break connection and disable the battery

BT 11-1

Brass Saddle Battery Terminal

Suits cable size: 8 - 50mm²

BT 59H-1

Brass Battery Terminal

Heavy duty brass
Solder on
End entry
Suits cable size: 15 - 50mm²